

# **ENERGY STAR® Application for Certification**

91

ENERGY STAR ® Score<sup>1</sup>

#### 179 Lincoln Street

Registry Name: 179 Lincoln Street

Property Type: Office

Gross Floor Area (ft²): 236,461

**Built: 1899** 

For Year Ending: 02/28/2017<sup>2</sup>

**Date Application Becomes Ineligible:** 06/28/2017

- 1. The ENERGY STAR Score is based on total source energy. A score of 75 is the minimum to be eligible for the ENERGY STAR.
- 2. Applications must be submitted to EPA within 120 days of the Year Ending Date. The award is not final until approval is received from EPA.



Please use the <u>Licensed Professional's Guide to the ENERGY STAR ® for Commercial Buildings</u> for reference in completing this checklist (http://www.energystar.gov/lpguide).

#### **Property & Contact Information**

Property Address
179 Lincoln Street
179 Lincoln Street
Boston, Massachusetts 02111

Property ID: 3015112 Boston Energy Reporting ID:

05332-000

Property Owner INVESCO Real Estate 1166 Avenue of the Americas 26th Floor New York, NY 10036 2122789224 Primary Contact
Lauren Nappi
179 Lincoln Street
Boston, MA 02111
617-451-2096
lauren.nappi@cbre-ne.com

#### 1. Review of Whole Property Characteristics

Basic Property Information		
1) Property Name for Registry: 179 Lincoln Street Is this the official name to be displayed in the <u>Registry of ENERGY STAR Certified Buildings and Plants</u> ?	x Yes	□No
If "No", please specify:  2) Property Type: Office Is this an accurate description of the primary use of this property?	x Yes	□No

OMB No. 2060-0347

3) Location:	x Yes	□No
179 Lincoln Street Boston, Massachusetts 02111	<u> </u>	□
Is this correct and complete?		
4) Gross Floor Area: 236,461 ft <sup>2</sup>	x Yes	□No
Does this represent the entire property? (i.e., no part of the building/property was excluded/subtracted from the total) If "no" please specify what space has been excluded.	_	_
5) Average Occupancy (%): (b) (4)	x Yes	∏No
Is this occupancy percentage accurate for the entire 12 month period being assessed?		
6) Number of Buildings: 1	x Yes	□No
Does this number accurately represent all structures?	_	_
Notes:		
Indoor Environmental Standards		
Indoor Environmental Standards  1) Ventilation for Acceptable Indoor Air Quality	V Voc	□No
	∝ Yes	□ No
Ventilation for Acceptable Indoor Air Quality      Does this property meet the minimum ventilation rates according to ANSI/ASHRAE		
1) Ventilation for Acceptable Indoor Air Quality  Does this property meet the minimum ventilation rates according to ANSI/ASHRAE Standard 62.1, Ventilation for Acceptable Indoor Air Quality?	x Yes	No
<ol> <li>Ventilation for Acceptable Indoor Air Quality         Does this property meet the minimum ventilation rates according to ANSI/ASHRAE Standard 62.1, Ventilation for Acceptable Indoor Air Quality?     </li> <li>Acceptable Thermal Environmental Conditions         Does this property meet acceptable thermal environmental conditions according to     </li> </ol>	x Yes	□No
<ol> <li>Ventilation for Acceptable Indoor Air Quality         Does this property meet the minimum ventilation rates according to ANSI/ASHRAE Standard 62.1, Ventilation for Acceptable Indoor Air Quality?     </li> <li>Acceptable Thermal Environmental Conditions         Does this property meet acceptable thermal environmental conditions according to ANSI/ASHRAE Standard 55, Thermal Environmental Conditions for Human Occupancy?     </li> </ol>		
<ol> <li>Ventilation for Acceptable Indoor Air Quality         Does this property meet the minimum ventilation rates according to ANSI/ASHRAE Standard 62.1, Ventilation for Acceptable Indoor Air Quality?     </li> <li>Acceptable Thermal Environmental Conditions         Does this property meet acceptable thermal environmental conditions according to ANSI/ASHRAE Standard 55, Thermal Environmental Conditions for Human Occupancy?     </li> <li>Adequate Illumination         Does this property meet the minimum illumination levels as recommended by the     </li> </ol>	x Yes	□No
<ol> <li>Ventilation for Acceptable Indoor Air Quality         Does this property meet the minimum ventilation rates according to ANSI/ASHRAE Standard 62.1, Ventilation for Acceptable Indoor Air Quality?     </li> <li>Acceptable Thermal Environmental Conditions         Does this property meet acceptable thermal environmental conditions according to ANSI/ASHRAE Standard 55, Thermal Environmental Conditions for Human Occupancy?     </li> <li>Adequate Illumination         Does this property meet the minimum illumination levels as recommended by the Illuminating Engineering Society of North America (IESNA) Lighting Handbook?     </li> </ol>	x Yes	□No
<ol> <li>Ventilation for Acceptable Indoor Air Quality         Does this property meet the minimum ventilation rates according to ANSI/ASHRAE Standard 62.1, Ventilation for Acceptable Indoor Air Quality?     </li> <li>Acceptable Thermal Environmental Conditions         Does this property meet acceptable thermal environmental conditions according to ANSI/ASHRAE Standard 55, Thermal Environmental Conditions for Human Occupancy?     </li> <li>Adequate Illumination         Does this property meet the minimum illumination levels as recommended by the Illuminating Engineering Society of North America (IESNA) Lighting Handbook?     </li> </ol>	x Yes	□No

## 2. Review of Property Use Details

Is this the total size, as measured between the outside surface of the exterior walls of the building(s)? This includes all areas inside the building(s) such as: occupied tenant areas, common areas, meeting areas, break rooms, restrooms, elevator shafts, mechanical equipment areas, and storage rooms. Gross Floor Area should not include interstitial plenum space between floors, which may house pipes and ventilation. Gross Floor Area is not the same as rentable, but rather includes all area inside the building(s). Leasable space would be a sub-set of Gross Floor Area. In the case where there is an atrium, you should count the Gross Floor Area at the base level only. Do not increase the size to accommodate open atrium space at higher levels. The Gross Floor Area should not include any exterior spaces such as balconies or exterior loading docks and driveways.  **NOTE: This use detail was changed during the year ending 02/28/2017. The value above represents a time-weighted average of the values over this timeframe. The following table outlines the history of the changes resulting in the value displayed above:    Timeframe					
Is this the total size, as measured between the outside surface of the exterior walls of the building(s). This includes all areas inside the building(s) such as: occupied tenant areas, common areas, meeting areas, break rooms, restrooms, elevator shafts, mechanical equipment areas, and storage rooms. Gross Floor Area should not include interstitial plenum space between floors, which may house pipes and ventilation. Gross Floor Area is not the same as rentable, but rather includes all area inside the building(s). Leasable space would be a sub-set of Gross Floor Area. In the case where there is an atrium, you should count the Gross Floor Area at the base level only. Do not increase the size to accommodate open atrium space at higher levels. The Gross Floor Area should not include any exterior spaces such as balconies or exterior loading docks and driveways.  **NOTE: This use detail was changed during the year ending 02/28/2017. The value above represents a time-weighted average of the values over this timeframe. The following table outlines the history of the changes resulting in the value displayed above:  **Timeframe Value**    03/01/2016 - 12/31/2016	fice: Of	fice			
of the building(s)? This includes all areas inside the building(s) such as: occupied tenant areas, common areas, meeting areas, break rooms, restrooms, elevator shafts, mechanical equipment areas, and storage rooms. Gross Floor Area should not include interstitial plenum space between floors, which may house pipes and ventilation. Gross Floor Area is not the same as rentable, but rather includes all area inside the building(s). Leasable space would be a sub-set of Gross Floor Area. In the case where there is an atrium, you should count the Gross Floor Area at the base level only. Do not increase the size to accommodate open atrium space at higher levels. The Gross Floor Area should not include any exterior spaces such as balconies or exterior loading docks and driveways.  **NOTE: This use detail was changed during the year ending 02/28/2017. The value above represents a time-weighted average of the values over this timeframe. The following table outlines the history of the changes resulting in the value displayed above:    Timeframe	This Use De	tail is used to calculate the 1-100 El	NERGY STAR Score.		
Is this the total size, as measured between the outside surface of the exterior walls of the building(s). This includes all areas inside the building(s) such as: occupied tenant areas, common areas, meeting areas, break rooms, restrooms, elevator shafts, mechanical equipment areas, and storage rooms. Gross Floor Area should not include interstitial plenum space between floors, which may house pipes and ventilation. Gross Floor Area is not the same as rentable, but rather includes all area inside the building(s). Leasable space would be a sub-set of Gross Floor Area. In the case where there is an atrium, you should count the Gross Floor Area at the base level only. Do not increase the size to accommodate open atrium space at higher levels. The Gross Floor Area should not include any exterior spaces such as balconies or exterior loading docks and driveways.  **NOTE: This use detail was changed during the year ending 02/28/2017. The value above represents a time-weighted average of the values over this timeframe. The following table outlines the history of the changes resulting in the value displayed above:  **Timeframe**  Value**    33   Wamber of Workers on Main Shift:   10   4	1) Gross	s Floor Area: 181,831			
above represents a time-weighted average of the values over this timeframe. The following table outlines the history of the changes resulting in the value displayed above:    Timeframe	of the bittenant a mechan interstiti Floor Ar Leasabl atrium, y the size should r	uilding(s)? This includes all area areas, common areas, meeting a ical equipment areas, and stora al plenum space between floors rea is not the same as rentable, e space would be a sub-set of commodate open atrium so not include any exterior spaces.	as inside the building(s) such as: occupied areas, break rooms, restrooms, elevator shafts, age rooms. Gross Floor Area should not include s, which may house pipes and ventilation. Gross but rather includes all area inside the building(s). Gross Floor Area. In the case where there is an or Area at the base level only. Do not increase space at higher levels. The Gross Floor Area	X Yes	□No
2) Weekly Operating Hours:  Is this the total number of hours per week that the property is occupied by the majority of the employees? It does not include hours when the HVAC system is starting up or shutting down, or when property is occupied only by maintenance, security, cleaning staff, or other support personnel. For properties with a schedule that varies during the year, use the schedule most often followed.  3) Number of Workers on Main Shift: (b) (4)  Is this the total number of workers present during the primary shift? This is not a total count of workers, but rather a count of workers who are present at the same time. For example, if there are two daily eight hour shifts of 100 workers each, the Number of Workers on Main Shift value is 100. Number of Workers on Main Shift may include employees of the property, sub-contractors who are onsite regularly, and volunteers who perform regular onsite tasks. Number of Workers should not include visitors to the buildings such as clients, customers, or patients.  **NOTE: This use detail was changed during the year ending 02/28/2017. The value above represents a time-weighted average of the values over this timeframe. The following table outlines the history of the changes resulting in the value displayed above:  **Timeframe** Value**  03/01/2016 – 12/31/2016	above r	epresents a time-weighted aver	age of the values over this timeframe. The		
2) Weekly Operating Hours:  Is this the total number of hours per week that the property is occupied by the majority of the employees? It does not include hours when the HVAC system is starting up or shutting down, or when property is occupied only by maintenance, security, cleaning staff, or other support personnel. For properties with a schedule that varies during the year, use the schedule most often followed.  3) Number of Workers on Main Shift:  (b) (4)  Is this the total number of workers present during the primary shift? This is not a total count of workers, but rather a count of workers who are present at the same time. For example, if there are two daily eight hour shifts of 100 workers each, the Number of Workers on Main Shift value is 100. Number of Workers on Main Shift may include employees of the property, sub-contractors who are onsite regularly, and volunteers who perform regular onsite tasks. Number of Workers should not include visitors to the buildings such as clients, customers, or patients.  **NOTE: This use detail was changed during the year ending 02/28/2017. The value above represents a time-weighted average of the values over this timeframe. The following table outlines the history of the changes resulting in the value displayed above:  **Timeframe**  Value  03/01/2016 – 12/31/2016		Timeframe	Value		
2) Weekly Operating Hours:  Is this the total number of hours per week that the property is occupied by the majority of the employees? It does not include hours when the HVAC system is starting up or shutting down, or when property is occupied only by maintenance, security, cleaning staff, or other support personnel. For properties with a schedule that varies during the year, use the schedule most often followed.  3) Number of Workers on Main Shift:  (b) (4)  Is this the total number of workers present during the primary shift? This is not a total count of workers, but rather a count of workers who are present at the same time. For example, if there are two daily eight hour shifts of 100 workers each, the Number of Workers on Main Shift value is 100. Number of Workers on Main Shift may include employees of the property, sub-contractors who are onsite regularly, and volunteers who perform regular onsite tasks. Number of Workers should not include visitors to the buildings such as clients, customers, or patients.  **NOTE: This use detail was changed during the year ending 02/28/2017. The value above represents a time-weighted average of the values over this timeframe. The following table outlines the history of the changes resulting in the value displayed above:  **Timeframe**  Value  03/01/2016 – 12/31/2016		03/01/2016 – 12/31/2016	187,564 ft²		
Is this the total number of hours per week that the property is occupied by the majority of the employees? It does not include hours when the HVAC system is starting up or shutting down, or when property is occupied only by maintenance, security, cleaning staff, or other support personnel. For properties with a schedule that varies during the year, use the schedule most often followed.  3) Number of Workers on Main Shift: (b) (4)  Is this the total number of workers present during the primary shift? This is not a total count of workers, but rather a count of workers who are present at the same time. For example, if there are two daily eight hour shifts of 100 workers each, the Number of Workers on Main Shift value is 100. Number of Workers on Main Shift may include employees of the property, sub-contractors who are onsite regularly, and volunteers who perform regular onsite tasks. Number of Workers should not include visitors to the buildings such as clients, customers, or patients.  **NOTE: This use detail was changed during the year ending 02/28/2017. The value above represents a time-weighted average of the values over this timeframe. The following table outlines the history of the changes resulting in the value displayed above:  **Timeframe**  Value**  03/01/2016 – 12/31/2016		01/01/2017 - 02/28/2017	152,095 ft²		
Is this the total number of workers present during the primary shift? This is not a total count of workers, but rather a count of workers who are present at the same time. For example, if there are two daily eight hour shifts of 100 workers each, the Number of Workers on Main Shift value is 100. Number of Workers on Main Shift may include employees of the property, sub-contractors who are onsite regularly, and volunteers who perform regular onsite tasks. Number of Workers should not include visitors to the buildings such as clients, customers, or patients.  **NOTE: This use detail was changed during the year ending 02/28/2017. The value above represents a time-weighted average of the values over this timeframe. The following table outlines the history of the changes resulting in the value displayed above:    Timeframe	shutting staff, or	down, or when property is occuother support personnel. For pr	upied only by maintenance, security, cleaning operties with a schedule that varies during the		
Is this the total number of workers present during the primary shift? This is not a total count of workers, but rather a count of workers who are present at the same time. For example, if there are two daily eight hour shifts of 100 workers each, the Number of Workers on Main Shift value is 100. Number of Workers on Main Shift may include employees of the property, sub-contractors who are onsite regularly, and volunteers who perform regular onsite tasks. Number of Workers should not include visitors to the buildings such as clients, customers, or patients.  **NOTE: This use detail was changed during the year ending 02/28/2017. The value above represents a time-weighted average of the values over this timeframe. The following table outlines the history of the changes resulting in the value displayed above:    Timeframe	•				
above represents a time-weighted average of the values over this timeframe. The following table outlines the history of the changes resulting in the value displayed above:  Timeframe  Value  03/01/2016 – 12/31/2016  (b) (4)	Is this the count of example Workers employed who per	ne total number of workers preson f workers, but rather a count of very e, if there are two daily eight hou son Main Shift value is 100. Nu ees of the property, sub-contract form regular onsite tasks. Numl	ent during the primary shift? This is not a total workers who are present at the same time. For ur shifts of 100 workers each, the Number of mber of Workers on Main Shift may include tors who are onsite regularly, and volunteers per of Workers should not include visitors to the	× Yes	□No
03/01/2016 – 12/31/2016 (b) (4)	above r	epresents a time-weighted aver	age of the values over this timeframe. The		
		Timeframe	Value		
01/01/2017 — 02/28/2017		03/01/2016 – 12/31/2016	(b) (4)		
		01/01/2017 — 02/28/2017			
	4) Numk	per of Computers: (D) (4)		x Yes	□No
4) Number of Computers: (b) (4)				X   T CS	LINU

Is this the total number of computers, laptops, and data servers at the property? This number should not include tablet computers, such as iPads, or any other types of office equipment. NOTE: This use detail was changed during the year ending 02/28/2017. The value above represents a time-weighted average of the values over this timeframe. The following table outlines the history of the changes resulting in the value displayed above: Value **Timeframe** 03/01/2016 - 12/31/2016 01/01/2017 - 02/28/2017 5) Percent That Can Be Heated: Is this the total percentage of the property that can be heated by mechanical equipment? ☐ Yes ☐ No 🖈 6) Percent That Can Be Cooled: Is this the total percentage of the property that can be cooled by mechanical equipment? ☐ Yes □No This includes all types of cooling from central air to individual window units. Notes: **Parking: Parking** This Use Detail is used to calculate the 1-100 ENERGY STAR Score. 1) Open Parking Lot Size: 0 ft2 Is this the total area that is lit and used for parking vehicles? Open Parking Lot Size X Yes No refers specifically to open area, which may include small shading covers but does not include any full structures with roofs. Parking lot size may include the area of parking spots, lanes, and driveways. 2) Partially Enclosed Parking Garage Size: 0 ft<sup>2</sup> Is this the total area of parking structures that are partially enclosed? This includes x Yes ПNо parking garages where each level is covered at the top, but the walls are partially or fully open.

**4) Supplemental Heating:** No

few stories of a building.

**3) Completely Enclosed Parking Garage Size:** 16,607 ft<sup>2</sup>

Is this the total area of parking structures that are completely enclosed on all four sides

and have a roof? This includes underground parking or fully enclosed parking on the first

X Yes No

☐ No

x Yes

which is		our parking garage has Supplemental Heating, entilation air and/or maintain a minimum			
Notes:					
Office: (b)	(4) Office Space				
This Use Det	ail is used to calculate the 1-100 E	NERGY STAR Score.			
🛊 1) Gross	Floor Area: 53,025				
of the butenant a mechani interstitia Floor Ard Leasable atrium, y the size should n driveway NOTE: Tabove re	tilding(s)? This includes all area reas, common areas, meeting a cal equipment areas, and stora al plenum space between floors ea is not the same as rentable, e space would be a sub-set of to accommodate open atrium so tinclude any exterior spaces /s.  This use detail was changed due presents a time-weighted aver	een the outside surface of the exterior walls as inside the building(s) such as: occupied areas, break rooms, restrooms, elevator shafts, age rooms. Gross Floor Area should not include s, which may house pipes and ventilation. Gross but rather includes all area inside the building(s) Gross Floor Area. In the case where there is an or Area at the base level only. Do not increase space at higher levels. The Gross Floor Area such as balconies or exterior loading docks and uring the year ending 02/28/2017. The value rage of the values over this timeframe. The e changes resulting in the value displayed above		□No	
	Timeframe	Value			
	03/01/2016 - 12/31/2016	47,292 ft²			
	01/01/2017 - 02/28/2017	82,761 ft²			
Is this th of the er shutting staff, or year, use 3) Numb  Is this th count of example Workers employe who performers	er of Workers on Main Shi e total number of workers pres workers, but rather a count of v on Main Shift value is 100. Nu es of the property, sub-contract form regular onsite tasks. Num	ent during the primary shift? This is not a total workers who are present at the same time. For ur shifts of 100 workers each, the Number of mber of Workers on Main Shift may include stors who are onsite regularly, and volunteers ber of Workers should not include visitors to the	x Yes	□ No	
shutting staff, or year, use  3) Numb  Is this th count of example Workers employe who performs	down, or when property is occupation of the support personnel. For presente the schedule most often follower of Workers on Main Shipe total number of workers presented workers, but rather a count of the schedule most of the property, sub-contract of the property of the	upied only by maintenance, security, cleaning roperties with a schedule that varies during the wed.  ift: (b) (4)  ent during the primary shift? This is not a total workers who are present at the same time. For ur shifts of 100 workers each, the Number of mber of Workers on Main Shift may include stors who are onsite regularly, and volunteers ber of Workers should not include visitors to the	x Yes	□No	

OMB No. 2060-0347

★ 4) Number of Computers:(b) (4)		
Is this the total number of computers, laptops, and data servers at the property? This number should not include tablet computers, such as iPads, or any other types of office equipment.	x Yes	□No
<b>☆</b> 5) Percent That Can Be Heated:		
Is this the total percentage of the property that can be heated by mechanical equipment?	x Yes	☐ No
<b>☆</b> 6) Percent That Can Be Cooled:		
Is this the total percentage of the property that can be cooled by mechanical equipment? This includes all types of cooling from central air to individual window units.	X Yes	□No
Notes:		
Office: (b) (4)		
This Use Detail is used to calculate the 1-100 ENERGY STAR Score.		
★ 1) Gross Floor Area: 1,605		
Is this the total size, as measured between the outside surface of the exterior walls of the building(s)? This includes all areas inside the building(s) such as: occupied tenant areas, common areas, meeting areas, break rooms, restrooms, elevator shafts, mechanical equipment areas, and storage rooms. Gross Floor Area should not include interstitial plenum space between floors, which may house pipes and ventilation. Gross Floor Area is not the same as rentable, but rather includes all area inside the building(s). Leasable space would be a sub-set of Gross Floor Area. In the case where there is an atrium, you should count the Gross Floor Area at the base level only. Do not increase the size to accommodate open atrium space at higher levels. The Gross Floor Area should not include any exterior spaces such as balconies or exterior loading docks and driveways.	X Yes	□No
☆ 2) Weekly Operating Hours: (b) (4)		
Is this the total number of hours per week that the property is occupied by the majority of the employees? It does not include hours when the HVAC system is starting up or shutting down, or when property is occupied only by maintenance, security, cleaning staff, or other support personnel. For properties with a schedule that varies during the year, use the schedule most often followed.	x Yes	□No
<b>☆</b> 3) Number of Workers on Main Shift: (b) (4)		
Is this the total number of workers present during the primary shift? This is not a total count of workers, but rather a count of workers who are present at the same time. For example, if there are two daily eight hour shifts of 100 workers each, the Number of Workers on Main Shift value is 100. Number of Workers on Main Shift may include employees of the property, sub-contractors who are onsite regularly, and volunteers	x Yes	□No

Tracking Number: APP-20170330-2-3015112 Generated On: 03/30/2017 EPA Form 5900-197 Page 6 of 11

who perform regular onsite tasks. Number of Workers should not include visitors to the		
buildings such as clients, customers, or patients.		
★ 4) Number of Computers: (b) (4)		
Is this the total number of computers, laptops, and data servers at the property? This number should not include tablet computers, such as iPads, or any other types of office equipment.	x Yes	∐ No
<b>☆</b> 5) Percent That Can Be Heated (b) (4)		
Is this the total percentage of the property that can be heated by mechanical equipment?	x Yes	□No
★ 6) Percent That Can Be Cooled: (b) (4)		
Is this the total percentage of the property that can be cooled by mechanical equipment? This includes all types of cooling from central air to individual window units.	x Yes	□No
Notes:		

#### 3. Review of Energy Consumption

#### **Data Overview** Site Energy Use Summary **National Median Comparison** Natural Gas (kBtu) National Median Site EUI (kBtu/ft²) 105.4 Electric - Grid (kBtu) National Median Source EUI (kBtu/ft²) 289.5 % Diff from National Median Source Total Energy (kBtu) 13,207,093.8 -47% EUI **Energy Intensity** Site (kBtu/ft²) 55.9 Emissions (based on site energy use) Source (kBtu/ft²) 153.4 Greenhouse Gas Emissions (Metric 1,048.2 Tons CO2e) **Power Generation Plant or Distribution Utility:** NSTAR Co [Eversource Energy] Note: All values are annualized to a 12-month period. Source Energy includes energy used in generation and transmission to enable an equitable assessment.

### **Summary of All Associated Meters**

The following meters are associated with the property, meaning that they are added together to get the total energy use for the property. Please see additional tables in this checklist for the exact meter consumption values.

Meter Name	Fuel Type	Start Date	End Date	<b>Associated With</b>
#(b) (4)	Natural Gas	08/09/2010	In Use	179 Lincoln Street
#(b) (4)	Electric	11/18/2010	In Use	179 Lincoln Street

Total Energy Use  Do the meters shown above account for the total energy use of this property during the reporting period of this application?	x Yes	□No
Additional Fuels  Do the meters above include all fuel <i>types</i> at the property? That is, no additional fuels such as district steam, generator fuel oil have been excluded.	X Yes	□No
On-Site Solar and Wind Energy  Are all on-site solar and wind installations reported in this list (if present)? All on-site systems must be reported.	X Yes	□No
Notes:		

Natural Gas Meter: #(b) (4)	(therms)	
Associated With: 179 Lincoln Str		
Start Date	End Date	Usage
02/08/2016	03/03/2016	(b) (4)
03/03/2016	04/05/2016	(D)
04/05/2016	05/04/2016	
05/04/2016	06/03/2016	
06/03/2016	07/05/2016	
07/05/2016	08/03/2016	
08/03/2016	10/05/2016	
10/05/2016	11/02/2016	
11/02/2016	12/02/2016	
12/02/2016	01/03/2017	
01/03/2017	02/02/2017	
02/02/2017	03/02/2017	
	Total Consumption (therms):	
	Total Consumption (kBtu (thousand Btu)):	

OMB No. 2060-0347

Total Energy Consumption for this Meter  Do the fuel consumption totals shown above include consumption of all energy tracked through this meter that affect energy calculations for the reporting period of this application (i.e., do the entries match the utility bills received by the property)?	x Yes	□No
Notes:		

ociated With: 179 Lind Start Date	coin Street  End Date	Hoose	Green Power?
02/18/2016	03/20/2016	Usage (A)	No
03/20/2016		(D) (4)	No No
	04/19/2016		
04/19/2016	05/18/2016		No
05/18/2016	06/19/2016		No
06/19/2016	07/19/2016		No
07/19/2016	08/17/2016		No
08/17/2016	09/15/2016		No
09/15/2016	10/19/2016		No
10/19/2016	11/17/2016		No
11/17/2016	12/19/2016		No
12/19/2016	01/19/2017		No
01/19/2017	02/16/2017		No
02/16/2017	03/20/2017		No
	Total Consumpti Watt-hours)):	ion (kWh (thousand	(b) (4)
	Total Consumpti Btu)):	ion (kBtu (thousand	(b) (4)
I Energy Consumption	on for this Meter		⊠ Yes

Notes:

#### 4. Signature & Stamp of Verifying Licensed Professional

tyla M. Wil 2000 Date:3/31/2017

Stephen Di Giacomo (Name) visited this site on March 23, 2017 (Date). Based on the conditions observed at the time of the visit to this property, I verify that the information contained within this application is accurate and in accordance with the Licensed Professional Guide.

Licensed Professional License: 37749 in MA

STEPHEN DIGIACOMO 160 Beech Street Franklin, MA 02038 508-533-1128 Steve@EMA-Boston.com STEPHEN
M.
DI GIACOMO
MECHANICAL
NO. 37749

ACCESSIONAL ENGINEER

**NOTE:** When applying for the ENERGY STAR, the signature of the Verifying Professional must match the stamp.

Professional Engineer Stamp

### 5. Signatory Agreement

I hereby nominate the above described property for award of the ENERGY STAR. I have provided a copy of the Licensed Professionals Guide to the ENERGY STAR for Commercial Buildings to our Licensed Professional (LP) for reference. As documented by the above checklist, this property meets the conditions necessary to qualify as ENERGY STAR. I am submitting this application within four months of the Year Ending Date (February 28, 2017) used to generate the application. I will assist EPA, if requested, in verifying any data included in this application. Furthermore, I agree to associate the ENERGY STAR logo only with this property and to adhere to the ENERGY STAR Identity Guidelines.

Signature (must be a direct employee of the building owner/manager):

Signatory Name: Lauren Nappi

Property Owner: INVESCO Real Estate

EPA Form 5900-197

Page 10 of 11

The government estimates the average time needed to fill out this form is 6 hours (includes the time for entering energy data, Licensed Professional facility inspection, and notarizing the SEP) and welcomes suggestions for reducing this level of effort. Send comments (referencing OMB control number) to the Director, Collection Strategies Division, U.S., EPA (2822T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460